



MATERIAL SAFETY DATA SHEET

SHEETROCK™ Paper Faced Metal Bead and Trim

MSDS #42-700-001
Page 1 of 8

SECTION 1 CHEMICAL PRODUCT AND IDENTIFICATION

United States Gypsum Company
550 West Adams Street
Chicago, Illinois 60661-3637
A Subsidiary of USG Corporation

Product Safety: 1 (800) 507-8899
www.usg.com
Version Date: January 1, 2008
Version: 4

PRODUCT(S) SHEETROCK™ Paper Faced Metal Bead and Trim

**CHEMICAL FAMILY /
GENERAL CATEGORY** Bead and Trim

SYNONYMS Paper Faced Metal Bead and Trim

SECTION 2 HAZARD IDENTIFICATION

**EMERGENCY OVERVIEW:
ΔWARNING!**

This product is not expected to produce any unusual hazards during normal use. Direct contact may irritate the skin, or eyes. Edges may be sharp and can cut skin. Unload from package with caution and handle carefully.

POTENTIAL HEALTH EFFECTS (See Section 11 for more information)

ACUTE :

Inhalation	Due to the physical nature of this product, inhalation is unlikely. There are no known health effects due to inhalation. Welding, burning, grinding or machining can generate metal particulate or elemental oxide fumes. Inhalation overexposure to manganese fume has been reported to cause "metal fume fever" characterized by fever and chills (i.e., flu-like symptoms). Such an overexposure is unlikely due to the small amount of manganese available. Fumes or mists of surface treatment oils may irritate the eyes and upper respiratory tract, and cause headache, dizziness and / or nausea if exposure is excessive.
Eyes	Direct contact can cause irritation of eyes. If burning, redness, itching, pain or other symptoms persist or develop, consult physician.
Skin	Edges may be sharp and can cut skin. Unload from package with caution and handle carefully.
Ingestion	None known.

CHRONIC:

Inhalation	Chronic inhalation overexposure to metal fume (i.e., iron oxide fume) may cause a benign pneumoconiosis (i.e., siderosis) with few or no symptoms. The ACGIH recommended limit is set to protect against siderosis, any exposure is expected to remain well below OSHA regulatory and ACGIH recommended limits during normal handling and use of this product.
Eyes	None known.
Skin	None known.
Ingestion	None known. This product is not intended to be eaten. Wash hands before eating.

TARGET ORGANS: Eyes, skin and respiratory system.

PRIMARY ROUTES OF ENTRY: Inhalation, eyes and skin contact.



MATERIAL SAFETY DATA SHEET

SHEETROCK™ Paper Faced Metal Bead and Trim

MSDS #42-700-001

Page 2 of 8

CARCINOGENICITY CLASSIFICATION OF INGREDIENT(S) All substances listed are associated with the nature of the raw materials used in the manufacture of this product and are not independent components of the product formulation. All substances, if present, are at levels well below regulatory limits. See Section 11: Toxicology Information for detailed information.

MATERIAL	IARC	NTP	ACGIH	CAL- 65
Certain Nickel Compounds	1	1	A1	Listed
Chromium (hexavalent compounds)	1	1	A1	Listed

IARC - International Agency for Research on Cancer: 1- Carcinogenic to humans; 2A – Probably carcinogenic to humans; 2B – Possibly carcinogenic to humans; 3 - Not classifiable as a carcinogen; 4 – Probably not a carcinogen

NTP – National Toxicology Program (Health and Human Services Dept., Public Health Service, NIH/NIEHS): 1- Known to be carcinogen; 2- Anticipated to be carcinogens

ACGIH – American Conference of Governmental Industrial Hygienists: A1 – Confirmed human carcinogen; A2 – Suspected human carcinogen; A3 – Animal carcinogen; A4 - Not classifiable as a carcinogen; A5 – Not suspected as a human carcinogen

CAL-65 – California Proposition 65 “Chemicals known to the State of California to Cause Cancer”

IARC lists certain hexavalent chromium compounds under its Group 1 - "Confirmed Human Carcinogen". IARC lists certain nickel compounds under its Group 2A - "Suspected Human Carcinogen". IARC lists certain lead compounds under its Group 2A - "Suspected Human Carcinogen". Welding fume may also contain contaminants from fluxes and / or other welding consumables.

POTENTIAL ENVIRONMENTAL EFFECTS: This product has no known adverse effect on ecology. (See Section 12 for more information)

SECTION 3 COMPOSITION, INFORMATION ON INGREDIENTS

MATERIAL	WT%	CAS #
Cellulose	1-5	9004-34-6
Iron	60-100	7439-89-6
Manganese	0.01-2	7439-96-5
Phosphorus	0.01-1	7723-14-0
Sulfur	0.01-1	7704-34-9
Nickel	0.01-1	7440-02-0
Chromium	0.01-1	7440-47-3
Copper	0.01-1	7440-50-8
Zinc	0.10-1	7440-66-6
Chromate Salt	0.01-1	7738-94-5

All ingredients of this product are included in the U.S. Environmental Protection Agency's Toxic Substances Control Act Chemical Substance Inventory and the Canadian Domestic Substances List (DSL).

SECTION 4 FIRST AID MEASURES

FIRST AID PROCEDURES

Inhalation	Remove to fresh air. Leave the area of exposure and remain away until coughing and other symptoms
------------	---



MATERIAL SAFETY DATA SHEET

SHEETROCK™ Paper Faced Metal Bead and Trim

MSDS #42-700-001

Page 3 of 8

	subside. Other measures are usually not necessary, however if conditions warrant, contact physician.
Eyes	In case of contact, do not rub or scratch your eyes. To prevent mechanical irritation, flush thoroughly with water for 15 minutes. If irritation persists, consult physician.
Skin	Wash with mild soap and water. If irritation persists, consult physician.
Ingestion	This product is not intended to be ingested or eaten. If gastric disturbance occurs, call physician.

MEDICAL CONDITIONS WHICH MAY BE AGGRAVATED: Pre-existing skin diseases such as, but not limited to, rashes and dermatitis.

NOTES TO PHYSICIAN: Treatment should be directed at the control of symptoms and the clinical condition.

SECTION 5 FIRE FIGHTING MEASURES

General Fire Hazards	None known		
Extinguishing Media	Water or use extinguishing media appropriate for surrounding fire.		
Special Fire Fighting Procedures	Wear appropriate personal protective equipment. See section 8.		
Unusual Fire and Explosion Hazards	None known		
Hazardous Combustion Products	None known		
Flash Point	Not Applicable	Auto Ignition	Not Applicable
Method Used	Not Applicable	Flammability Classification	Not Applicable
Upper Flammable Limit (UFL)	Not Applicable		
Lower Flammable Limit (LFL)	Not Applicable	Rate of Burning	Not Applicable

SECTION 6 ACCIDENTAL RELEASE MEASURES

CONTAINMENT: No special precautions. Wear appropriate personal protective equipment. See section 8.
CLEAN-UP: Use normal clean up procedures. No special precautions.
DISPOSAL: Follow all local, state, provincial and federal regulations.

SECTION 7 HANDLING AND STORAGE

HANDLING: Avoid contact with eyes. Wear the appropriate eye protection (See Section 8). Use good safety and industrial hygiene practices.
STORAGE: Store in a cool, dry, ventilated area away from sources of heat, moisture and incompatibilities (see Section 10).



MATERIAL SAFETY DATA SHEET

SHEETROCK™ Paper Faced Metal Bead and Trim

MSDS #42-700-001
Page 4 of 8

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

MATERIAL	WT%	TLV (mg/m ³)	PEL (mg/m ³)
Cellulose	1-5	10	15 (T) / 5 (R)
Iron	60-100	5 (F)	10 (F)
Manganese	0.01-2	5 (Du) / 1 (F)	5 (C) / 1 (F)
Phosphorus	0.01-1	0.02 ppm	0.1
Sulfur	0.01-1	5 (as SO ₂)	13 (as SO ₂)
Nickel	0.01-1	1 (as Ni)	1 (as Ni)
Chromium	0.01-1	0.5 (as Cr)	1.0 (as Cr)
Copper	0.01-1	0.2 (F)	0.1 (as Cu)
Zinc	0.10-1	5 (F) / 10 (Du)	5 (F)
Chromate Salt	0.01-1	0.05	0.1

(T)–Total; (R)–Respirable; (NE)–Not Established; (C)–Ceiling; (STEL)–Short-term exposure limit
(F)–Fume; (Du)–Dust; (M)–Mist
ppm–part per million; f/cc–fiber per cubic centimeter; mppcf– million particles per cubic foot

ENGINEERING CONTROLS: If user operations generate exposures, use ventilation to keep exposures concentrations below permissible exposure limits. Where general ventilation is inadequate, use process enclosures, local exhaust ventilation, or other engineering controls to control exposure levels below permissible exposure limits.

RESPIRATORY PROTECTION: A respiratory program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.

OTHER PERSONAL PROTECTIVE EQUIPMENT:

Eye/Face	Wear eye protection, safety glasses or goggles, to avoid possible eye contact.
Skin	Wear gloves and protective clothing to prevent repeated or prolonged skin contact.
General	Selection of Personal Protective Equipment will depend on environmental working conditions and operations.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Formed metal covered with paper	Vapor Density (Air = 1)	Not Applicable
Odor	Low to no odor	Specific Gravity (H ₂ O = 1)	Not Determined
Odor Threshold	Not Applicable	Solubility in water (g/100g)	Insoluble
Physical State	Solid	Partition Coefficient	Not Applicable
pH @ 25 ° C	Not Applicable	Auto-ignition Temp	Not Applicable
Melting Point	Not Determined	Decomposition Temp	Not Applicable
Freezing Point	Not Applicable	Viscosity	Not Applicable



MATERIAL SAFETY DATA SHEET

SHEETROCK™ Paper Faced Metal Bead and Trim

MSDS #42-700-001

Page 5 of 8

Boiling Point	Not Applicable	Particle Size	Not Applicable
Flash Point	Not Applicable	Bulk Density	Not Determined
Evaporation Rate (BuAc = 1)	Not Applicable	Molecular Weight	Not Applicable
Upper Flammable Limit (UFL)	Not Applicable	VOC Content	Zero
Lower Flammable Limit (LFL)	Not Applicable	Percent Volatile	Zero
Vapor Pressure (mm Hg)	Not Applicable		

SECTION 10 CHEMICAL STABILITY AND REACTIVITY

STABILITY	Stable.
CONDITIONS TO AVOID	Contact with incompatibles (see below).
INCOMPATIBILITY	Contact with strong mineral acids will release flammable hydrogen gas.
HAZARDOUS POLYMERIZATION	None known.
HAZARDOUS DECOMPOSITION	None known.

SECTION 11 TOXICOLOGICAL INFORMATION

ACUTE EFFECTS: Welding, burning, grinding or machining can generate metal particulate or elemental oxide fumes. Inhalation overexposure to manganese fume has been reported to cause "metal fume fever" characterized by fever and chills (i.e., flu-like symptoms). Such an overexposure is unlikely due to the small amount of manganese available. Fumes or mists of surface treatment oils may irritate the eyes and upper respiratory tract, and cause headache, dizziness and / or nausea if exposure is excessive.

CHRONIC EFFECTS / CARCINOGENICITY: Chronic inhalation overexposure to metal fume (i.e., iron oxide fume) may cause a benign pneumoconiosis (i.e., siderosis) with few or no symptoms. The ACGIH recommended limit is set to protect against siderosis, any exposure is expected to remain well below OSHA regulatory and ACGIH recommended limits during normal handling and use of this product.

SECTION 12 ECOLOGICAL INFORMATION

ENVIRONMENTAL TOXICITY: This product has no known adverse effect on ecology.

Ecotoxicity value	Not determined.
-------------------	-----------------

SECTION 13 DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: Dispose of material in accordance with federal, state, and local regulations. Never



MATERIAL SAFETY DATA SHEET

SHEETROCK™ Paper Faced Metal Bead and Trim

MSDS #42-700-001
Page 6 of 8

discharge directly into sewers or surface waters. Consult with environmental regulatory agencies for guidance on acceptable disposal practices.

SECTION 14 TRANSPORT INFORMATION

U.S. DOT INFORMATION: Not a hazardous material per DOT shipping requirements. Not classified or regulated.

Shipping Name	Same as product name.
Hazard Class	Not classified.
UN/NA #	None. Not classified.
Packing Group	None.
Label (s) Required	Not applicable.
GGVSec/MDG-Code	Not classified.
ICAO/IATA-DGR	Not applicable.
RID/ADR	None.
ADNR	None.

SECTION 15 REGULATORY INFORMATION

UNITED STATES REGULATIONS

All ingredients of this product are included in the U.S. Environmental Protection Agency's Toxic Substances Control Act Chemical Substance Inventory.

MATERIAL	WT%	3 0 2	3 0 4	3 1 3	CERCLA	CAA Sec. 112	RCRA Code
Cellulose	1-5	NL	NL	NL	NL	NL	NL
Iron	60-100	NL	NL	NL	NL	NL	NL
Manganese	0.01-2	NL	NL	X	NL	NL	NL
Phosphorus	0.01-1	100	1	X	1	NL	NL
Sulfur	0.01-1	NL	NL	NL	NL	NL	NL
Nickel	0.01-1	NL	NL	X	100	NL	NL
Chromium	0.01-1	NL	NL	X	5,000	NL	NL
Copper	0.01-1	NL	NL	X	5,000	NL	NL
Zinc	0.10-1	NL	NL	X	1,000	NL	NL
Chromate Salt	0.01-1	NL	NL	X	10	NL	NL

Metals. For metals listed under CERCLA no reporting of releases of the solid form is required if the mean diameter of the pieces of the solid metal released is greater than 100 micrometers (0.004 inches). The RQs shown on the consolidated list apply to smaller particles.

Key : NL = Not Listed

SARA Title III Section 302 (EPCRA) Extremely Hazardous Substances: Threshold Planning Quantity (TPQ)

SARA Title III Section 304 (EPCRA) Extremely Hazardous Substances: Reportable Quantity (RQ)



MATERIAL SAFETY DATA SHEET

SHEETROCK™ Paper Faced Metal Bead and Trim

MSDS #42-700-001
Page 7 of 8

SARA Title III Section 313 (EPCRA) Toxic Chemicals: X= Subject to reporting under section 313

CERCLA Hazardous Substances: Reportable Quantity (RQ)

CAA Section 112 (r) Regulated Chemicals for Accidental Release Prevention: Threshold Quantities(TQ)

RCRA Hazardous Waste: RCRA hazardous waste code

CANADIAN REGULATIONS

This product has been classified in accordance with the hazard criteria of Controlled Product regulations and the MSDS contains all the information required by the Controlled Products Regulations. All ingredients of this product are included in the Canadian Domestic Substances List (DSL).

MATERIAL	WT%	IDL Item #	WHMIS Classification
Cellulose	1-5	Not Listed	Not Listed
Iron	60-100	Not Listed	Not Listed
Manganese	0.01-2	974	Not Listed
Phosphorus	0.01-1	1295	B4, D1A, E
Sulfur	0.01-1	Not Listed	B4
Nickel	0.01-1	1126	D2A
Chromium	0.01-1	399	Not Listed
Copper	0.01-1	433	Not Listed
Zinc	0.10-1	Not Listed	Not Listed
Chromate Salt	0.01-1	391	C, D2A, E

IDL Item#: Canadian Hazardous Products Act – Ingredient Disclosure List Item #

WHMIS Classification: Workplace Hazardous Material Information System

Risk and Safety Phrases defined by European Union Directive 67/548/EEC (Annex III and IV)

R-Phrase(s): None known.


S-Phrase(s): None known.

SECTION 16 OTHER INFORMATION

Label Information

Δ WARNING!

INFORMATION FOR HANDLING AND IDENTIFICATION OF CHEMICAL HAZARDS

NFPA Ratings:		HIMS Ratings:	<table border="1"> <tr> <td>HEALTH</td> <td><input type="text" value="0"/></td> </tr> <tr> <td>FLAMMABILITY</td> <td><input type="text" value="0"/></td> </tr> <tr> <td>PHYSICAL HAZARD</td> <td><input type="text" value="0"/></td> </tr> <tr> <td>PERSONAL PROTECTION</td> <td><input type="text"/></td> </tr> </table>	HEALTH	<input type="text" value="0"/>	FLAMMABILITY	<input type="text" value="0"/>	PHYSICAL HAZARD	<input type="text" value="0"/>	PERSONAL PROTECTION	<input type="text"/>	0 = Minimal Hazard
HEALTH		<input type="text" value="0"/>										
FLAMMABILITY		<input type="text" value="0"/>										
PHYSICAL HAZARD		<input type="text" value="0"/>										
PERSONAL PROTECTION	<input type="text"/>											
Health: 0	Health: 0	1 = Slight Hazard										
Fire: 0	Fire: 0	2 = Moderate Hazard										
Reactivity: 0	Reactivity: 0	3 = Serious Hazard										
			4 = Severe Hazard									

Key/Legend

TLV Threshold Limit Value



MATERIAL SAFETY DATA SHEET

SHEETROCK™ Paper Faced Metal Bead and Trim

MSDS #42-700-001

Page 8 of 8

PEL	Permissible Exposure Limit
CAS	Chemical Abstracts Service (Registry Number)
NIOSH	National Institute for Occupational Safety and Health
MSHA	Mine Safety and Health Administration
OSHA	Occupational Health and Safety Administration
ACGIH	American Conference of Governmental Industrial Hygienists
IARC	International Agency for Research on Cancer
DOT	United States Department of Transportation
EPA	United States Environmental Protection Agency
NFPA	National Fire Protection Association
HMIS	Hazardous Materials Identification System
PPE	Personal Protection Equipment
TSCA	Toxic Substances Control Act
DSL	Canadian Domestic Substances List
NDSL	Canadian Non-Domestic Substances List
SARA	Superfund Amendments and Reauthorization Act of 1986
CAA	Clean Air Act
EPCRA	Emergency Planning & Community Right-to-know Act
RCRA	Resource Conservation and Recovery Act
CERCLA	Comprehensive Environmental Response, Compensation and Liability Act of 1980
UN/NA#	United Nations/North America number
CFR	Code of Federal Regulations
WHMIS	Workplace Hazardous Material Information System

Prepared by:
Product Safety
USG Corporation
550 West Adams Street
Chicago, IL 60661-3637

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for his/her own particular use.

END